

Patchwork Americana

Table Runner Design by Cyndi Hershety



Table Runner size: approximately 26" x 58"

Featuring fabrics from Patchwork Americana
by Lori Harris for P&B Textiles



P&B Textiles • pbtex.com • 800-351-9087 • 208 Clock Tower Square, Portsmouth, RI 02871

Patchwork Americana

Fabric collection by Lori Harris for P&B Textiles

Table Runner designed by Cyndi Hershey

Skill level: Confident Beginner • Finished Table Runner Size: approx. 26" x 58"

Table Runner Yardages:

Fabric A: PAME 4993 MU	3/8 yard
Fabric B: PAME 4996 B	1/4 yard
Fabric C: PAME 4996 R	1/4 yard
Fabric D: PAME 4997 N	1/4 yard
Fabric E: PAME 4998 DB	1/4 yard
Fabric F: PAME 4999 WE	1 1/8 yards
Fabric G: PAME 5000 R	1/2 yard
Fabric H: PAME 5001 B	1/2 yard
Backing: PAME 4993 MU suggested	2 yards
Batting	34" x 66"

Cutting Instructions:

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

From Fabric A:

1. Cut one 9" strip; subcut three 9" squares. (Block Centers)

From Fabric B:

1. Cut three 2 1/2" strips; subcut sixteen 2 1/2" x 6 1/2" rectangles. (Block A)

From Fabric C:

1. Cut two 2 1/2" strips; subcut eight 2 1/2" x 6 1/2" rectangles. (Block B)

From Fabric D:

1. Cut one 4 1/2" strip; subcut eight 4 1/2" squares. (Sashing Squares)

From Fabric E:

1. Cut one 2" strip; subcut four 2" x 10" rectangles. (Block B)
2. Cut two 2 1/2" strips; subcut twenty 2 1/2" squares. (Sashing A, B & C)

From Fabric F:

1. Cut one 4 7/8" strip; subcut six 4 7/8" squares. Cut each square diagonally in half to yield twelve half-square triangles. (Blocks A & B)
2. Cut three 2 1/2" strips; subcut sixteen 2 1/2" x 6 1/2" rectangles. (Sashing A & B)
3. Cut two 2 1/2" strips; subcut twenty-four 2 1/2" squares. (Sashing A, B & C)
4. Cut two 2 1/2" strips; subcut thirty-two 2 1/2" squares. (Sashing Blocks)
5. Cut eight 1 1/2" strips. Sew strips together end to end with diagonal seams. Trim seams and press open. From this pieced strip, cut two 1 1/2" x 20 1/2" strips, two 1 1/2" x 24 1/2" strips, two 1 1/2" x 54 1/2" strips, and two 1 1/2" x 58 1/2" strips. (1st and 3rd Borders)

From Fabric G:

1. Cut two 2" strips; subcut eight 2" x 10" rectangles. (Block A)
2. Cut two 2 1/2" strips; subcut twenty 2 1/2" squares. (Sashing A, B & C)
3. Cut four 1 1/2" strips. Sew strips end to end with diagonal seams. Trim seams and press open. From this pieced strip, cut two 1 1/2" x 22 1/2" strips and two 1 1/2" x 56 1/2" strips. (2nd Border)

From Fabric H:

1. Cut five 2 1/2" strips. (Binding)

Piecing Instructions:

Block A

1. Sew the long side of one 4 7/8" F triangle to one 2" x 10" G rectangle centering triangle to rectangle. Press seam open or toward G. Trim ends of rectangle even with short sides of triangle. Repeat to make eight units. (Figure 1)



Figure 1
Make 8 units.

2. Sew one unit from Step 1 to opposite sides of one 9" A square; press. Sew one unit to remaining sides of square; press. Repeat to complete two Block A. (Figure 2)



Figure 2
Make 2 of Block A.
12 1/2" x 12 1/2"
unfinished.

Block B

1. Sew the long side of one 4 7/8" F triangle to one 2" x 10" E rectangle centering triangle to rectangle. Press seam open or toward F. Trim ends of rectangle even with short sides of triangle. Repeat to make four units. (Figure 3)



Figure 3
Make 4 units.

2. Sew one unit from Step 1 to opposite sides of one 9" A square; press. Sew one unit to remaining sides of square; press. Repeat to complete one Block B. (Figure 4)



Figure 4
Make 1 Block B.
12 1/2" x 12 1/2"
unfinished.

Sashing A

1. Draw a diagonal line on the back side of one 2 1/2" F square and one 2 1/2" G square. Referring to diagram for placement, place one marked F square at one end of one 2 1/2" x 6 1/2" B rectangle. Sew on the line. Trim seam and press toward resulting triangle. Repeat at opposite end of rectangle using marked G square. Repeat to make two units. (Figure 5)




Figure 5 Make 2.
2 1/2" x 6 1/2" unfinished.

2. Repeat Step 1 to create reverse units as shown. (Figure 6)



Figure 6 Make 2.
2 1/2" x 6 1/2" unfinished.

3. Repeat Steps 1 and 2 using 2 1/2" E and F squares and 2 1/2" x 6 1/2" C rectangles. (Figure 7)



Figure 7 Make 2 each.
2 1/2" x 6 1/2" unfinished.

4. Sew one each of Step 1 and 2 units together as shown; press. Repeat to make two units. (Figure 8)



Figure 8 Make 2.
2 1/2" x 12 1/2" unfinished.

5. Sew one each of Step 3 units together as shown; press. Repeat to make two units. (Figure 9)



Figure 9 Make 2.
2 1/2" x 12 1/2" unfinished.

6. Sew one Step 4 unit to one Step 5 unit to complete one Sashing A. Repeat to make two units. (Figure 10)




Figure 10 Make 2.
4 1/2" x 12 1/2" unfinished.

Sashing B

1. Draw a diagonal line on the back of one 2 1/2" E square. Place at one end of one 2 1/2" x 6 1/2" F rectangle. Sew on the line. Trim seam and press toward the resulting triangle. Repeat to make six units. (Figure 11)



Figure 11 Make 6.
2 1/2" x 6 1/2" unfinished.

2. Repeat Step 1 to create reverse units as shown. (Figure 12)



Figure 12 Make 6.
2 1/2" x 6 1/2" unfinished.

3. Use 2 1/2" F and G squares with 2 1/2" x 6 1/2" B rectangles to make six units shown in Sashing A/Step 4. (Figure 13)



Figure 13 Make 6.
2 1/2" x 6 1/2" unfinished.

4. Sew together one each Step 1 and Step 2 units as shown; press. Repeat to make six units. (Figure 14)



Figure 14 Make 6.
2 1/2" x 12 1/2" unfinished.

5. Sew together one Step 3 and one Step 4 unit to complete one Sashing B unit. Repeat to make six units. (Figure 15)



Figure 15 Make 6.
4 1/2" x 12 1/2" unfinished.

Sashing C

1. Repeat the steps within Sashing B using 2 1/2" E, F and G squares with 2 1/2" x 6 1/2" C and F rectangles. Make two units as shown. (Figure 16)




Figure 16 Make 2.
4 1/2" x 12 1/2" unfinished.

Sashing Blocks

1. Draw a diagonal line on the back side of one 2 1/2" F square. Place marked square on one corner of one 4 1/2" D square. Sew on the line. Trim seam and press toward resulting triangle. Repeat for remaining corners to complete one Sashing Block. Repeat to make eight blocks. (Figure 17)



Figure 17 Make 8.
4 1/2" x 4 1/2" unfinished.

Table Runner Assembly:

1. Referring to Runner Diagram for correct placement, sew together four Sashing Blocks with three Sashing Units to create one Horizontal Sashing Row. Press. Repeat to create two rows.
2. Referring to Runner Diagram for correct placement, sew together two Block A with one Block B to create Block Row. Sew one Sashing B Unit to both ends of row. Press.
3. Sew one Horizontal Sashing Row to the top and bottom of the Block Row; press.
4. Sew one 1 1/2" x 20 1/2" F strip to both ends of Runner Center; press. Sew one 1 1/2" x 54 1/2" F strip to the top and bottom of the runner; press.
5. Sew one 1 1/2" x 22 1/2" G strip to both ends of the runner; press. Sew one 1 1/2" x 56 1/2" G strip to the top and bottom of the runner; press.
6. Sew one 1 1/2" x 24 1/2" F strip to both ends of the runner; press. Sew one 1 1/2" x 58 1/2" F strip to the top and bottom of the runner; press.

Finishing:

1. Prepare backing to measure 34" x 66".
2. Layer runner top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim layers even with runner top squaring corners.
5. Join five 2 1/2" H binding strips with diagonal seams. Press seams open. Attach binding using your favorite method




Table Runner Diagram

Patchwork Americana

Fabric Collection by
Lori Harris for P&B Textiles



PAME 4991 PA



PAME 4992 E



PAME 4992 N



PAME 4993 MU+*




PAME 4994 E




PAME 4994 R




PAME 4995 E



PAME 4995 N




PAME 4995 R




PAME 4996 B*



PAME 4996 E



PAME 4996 R*



PAME 4997 DR



PAME 4997 N*



PAME 4998 B



PAME 4998 DB




PAME 4998 R



PAME 4999 B




PAME 4999 R



PAME 4999 WE*



PAME 5000 B




PAME 5000 N




PAME 5000 R*



PAME 5001 B*



PAME 5001 R



PAME 5002 N 108

