04.06.2023 windhamfabrics.com



Redfield Mill

Designed by Mary Koval featuring the Beacon collection by Whistler Studios SIZE: $82'' \times 82''$



FREE PROJECT

THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE MAKING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT WINDHAMFABRICS.COM'S FREE PROJECTS SECTION.





PROJECT DISCLAIMER: Every effort has been made to ensure that all projects are error free. All the information is presented in good faith, however, no warranty can be given nor results guaranteed. Therefore, we assume no responsibility nor damages that may occur when referring to this pattern. When errors are brought to our attention, we make every effort to correct and post a revision as soon as possible. We suggest you check **windhamfabrics.com** for pattern updates and to test the pattern prior to making the project. Test templates first, before cutting all the pieces. Free projects are not for resale.

WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
A		53634-5 Ruby	FQ	(3) 2-1/2" x 21" strips; subcut (12) 2-1/2" x 4-1/2" rectangles.
В		53633-3 Ivory	2-7/8	Border 2: (8) 10-1/2" x WOF strips. Piece strips into a long strip. Reserve border strip cutting until Step 10. (4) 2-1/2" x WOF strips; subcut (32) 2-1/2" x 4-1/2" rectangles.
С		53634-3 Ivory	FQ	(3) 2-1/2" x 21" strips; subcut (12) 2-1/2" x 4-1/2" rectangles.
D		53636-2 Red	FQ	(4) 2-1/2" x 21" strips; subcut (16) 2-1/2" x 4-1/2" rectangles.
E	系统 经验	53637-3 Ivory	2	 (1) 18-1/2" x WOF strip; subcut (1) 18-1/2" square. Cut the square twice diagonally to make (4) triangles. (8) 5-1/2" x WOF strips; subcut (4) 5-1/2" x 33-1/2" and (4) 5-1/2" x 26-1/2" strips.
F	* * * * * * * * * * * * * * * * * * *	53639-3 Ivory	FQ	(1) 2-1/2" x 21" strip; subcut (4) 2-1/2" x 4-1/2" rectangles.
G		53635-3 Ivory	FQ	(2) 4-1/2" x 21" strips; subcut (16) 2-1/2" x 4-1/2" rectangles.
Н		53635-5 Ruby	FQ	(1) 4-1/2" x 21" strip; subcut (4) 2-1/2" x 4-1/2" rectangles.
ı		53633-2 Red INCLUDES BINDING	2-3/8	(1) 4-1/2" x WOF strips; subcut (5) 4-1/2" squares. Borders 1 and 3: (14) 3-1/2" x WOF strips. Piece strips into a long strip. Reserve border strip cutting until Step 10. Binding: (9) 2-1/2" x WOF strips.
J	18 2	40171-120 White	1-3/8	(16) 2-1/2" x WOF strips; subcut (256) 2-1/2" squares.



WOF = WIDTH OF FABRIC

KEY	FABRIC	SKU	YD	CUTTING INSTRUCTIONS
K		53638-2 Red	FQ	(4) 4-1/2" x 21" strips; subcut (28) 2-1/2" x 4-1/2" rectangles.
L		40171-61 Crimson	FQ	(1) 2-1/2" x 21" strip; subcut (4) 2-1/2" x 4-1/2" rectangles.
		Backing	7-1/2	90" x 90" piece of batting.

FLYING GEESE UNITS

1. Draw a diagonal line on the wrong side of (1) J 2-1/2" square. Place square, right sides together, at a corner of (1) B 2-1/2" x 4-1/2" rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal J corner triangle. Repeat with another J square on the opposite corner of the same B rectangle. Make (32).

J

Flying Geese Unit

Sew on drawn line. Trim 1/4" and open to reveal **B** corner triangle. Repeat on opposite corner.


Make (32) of **J/B**.


2. Using **J**, make a total number of **flying geese units** in the following fabric combinations:

Make (28)



Make (16) of each.






Make (12) of each.





Make (4) of each.










3. Sew (16) flying geese units, as shown. Make (4).



Make (4)


4. Sew (8) flying geese units, as shown. Make (8).



Make (8)

TRIANGLE BLOCK

- 5. Noting rotation, sew (1) eight-flying geese unit to the right, short side of (1) E triangle.
- 6. Sew (1) eight-flying geese unit to (1) I 4-1/2" square.
- 7. Sew units from Steps 5 and 6 together.
- 8. Sew (1) E 5-1/2" x 26-1/2" strip to the right side and (1) E 5-1/2" x 33-1/2" strip to the bottom of sewn unit made in Step 7 to complete Block 1. Repeat Steps 5-8 to make (4) total.






9. Sew triangle blocks to opposite sides of (1) sixteen-flying geese unit. Make (2) block rows. Sew the remaining sixteen-flying geese units to opposite sides of (1) I 4-1/2" square to make a sashing row. Sew the block rows to opposite sides of the sashing row to complete the quilt center. Trim quilt center along outer edges, aligning the ruler 1/4" outside of the flying geese units indicated in the diagram.

NOTE: BEGIN STITCHING ROWS FROM THE CENTER OF THE QUILT, AS OUTSIDE OF THE ROWS WILL NOT MATCH.

OVERAGES ALLOWED FOR SQUARING UP THE QUILT.



- 10. Inner Border 1: Measure the quilt center lengthwise across the center. Cut (2) I 3-1/2" strips to that length and sew to opposite long sides of quilt center. Measure the quilt center widthwise across the center, including borders just added. Cut (2) I 3-1/2" strips to that length and sew to remaining long sides of the quilt.
- 11. Inner Border 2: In the same way, measure, trim and add B 10-1/2" strips to the quilt.
- 12. Outer Border: In the same way, measure, trim and add I 3-1/2" strips to the quilt.



Quilt Diagram



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using I 2-1/2" strips.