

Star Path

FREE DOWNLOAD PATTERN

56" x 72"



Option 1



Option 2



Designed by Banyan Batiks Studio
www.BanyanBatiks.com

Star Path

Collection: **Color Me Banyan Veranda + Banyan Essentials (Lustre, Brush Strokes, Ketan, Shadows & Banyan BFFs)**

Finished Size: 56" x 72"

All seams sewn using a ¼" seam allowance

For Requirements and Cutting Instructions, see page 3 / 4 (Option 1 / 2)


Star Block Assembly:

Center Unit (Square in a Square):

1. Mark 4 – 2 ½" Fabric D squares with a diagonal line from corner to corner. Place first square in one corner of a 4 ½" Fabric A square. Sew along the marked line. Trim ¼" from the sewn line and press to outer edge. Repeat on remaining three corners.
2. Repeat Step 1 using the 4 ½" Fabric B & C squares.

Flying Geese Units:


3. Mark 4 – 3" Fabric E squares with a diagonal line from corner to corner. Using these squares and 1 – 5 ½" Fabric A square, make four flying geese using the 'No Waste Method', as shown. Trim units to 2 ½" x 4 ½".




4. Repeat Step 2 using a 5 ½" Fabric D square and 4 – 3" Fabric A squares.
5. Repeat Steps 3 & 4, pairing the 3" Fabric F squares with the 5 ½" Fabric B square; then the 3" Fabric G squares with the 5 ½" Fabric C square.

HST Units:


6. Place a 5 ¾" Fabric D square on top of a 5 ¾" Fabric L square, right sides together. Mark two diagonal lines from corner to corner. Sew ¼" on both sides of the lines and cut as shown. Press each HST to the dark side.




7. Arrange Units with 4 – 2 ½" Fabric D squares and 4 – 2 ½" Fabric H squares as shown. Sew units together into rows. Then sew rows together to complete Star Block.



8. Repeat Steps 1-5 to make two Star Blocks in each of the three colorways.



Make 2 of each



Make 2 of each



Make 2 of each

Row Assembly:
















1. Draw a diagonal line on the wrong side of 8 – 3 ½” Fabric D squares. Lay one square on top left corner of the 6 ½” Fabric A square, right sides together. Sew along the marked line. Trim ¼” from the line and press out. Repeat in the bottom left corner, as shown.
2. Repeat Step 1 using the remaining 6 ½” Fabric A strips.
3. Repeat Steps 1 & 2 using the 6 ½” Fabric B & C strips.
4. To complete the Row Units, sew a 3 ½” Fabric D strip to the appropriate sized Row Units just made.
5. Referring to the finished quilt image, arrange Star Blocks and Row Units into rows, turning the Row Units as required. Sew together to complete each row.
6. Sew rows together to complete the quilt top.


















Finishing Your Quilt:

7. Join the Fabric P binding strips together using diagonal seams. Fold in half, wrong sides together, along the length of the strip and press.
8. Layer quilt top with batting and prepared backing. Quilt as desired. Bind using your favorite method.

Requirements: (Color Option 1)

Fabric	Yardage	Cutting Instructions
Fabric A 80759-21  Fabric B 80759-52 	7/8 yd each	From each of Fabric A & B, Cut 1 – 5 ½” x WOF strip ➤ Sub-cut 2 – 5 ½” squares, 2 – 4 ½” squares and 8 – 3” squares Cut 3 – 6 ½” x WOF strips ➤ Sub-cut 1 – 38 ½” strip, 1 – 31 ½” strip, 1 – 13 ½” strip & 1 – 6 ½” square
Fabric C 80759-24 	7/8 yd	Cut 1 – 5 ½” x WOF strip ➤ Sub-cut 2 – 5 ½” squares, 2 – 4 ½” squares and 8 – 3” squares Cut 3 – 6 ½” x WOF strips ➤ Sub-cut 2 – 38 ½” strips and 2 – 6 ½” squares
Fabric D 81300-14 	2 ¼ yds	Cut 3 – 2 ½” x WOF strips; Sub-cut 48 – 2 ½” squares Cut 1 – 5 ¾” x WOF strip; Sub-cut 6 – 5 ¾” squares Cut 1 – 5 ½” x WOF strip; Sub-cut 6 – 5 ½” squares Cut 16 – 3 ½” x WOF strips ➤ Sub-cut 8 – 38 ½” strips, 4 – 31 ½” strips, 4 – 13 ½” strips, 8 – 6 ½” strips and 24 – 3 ½” squares
Fabric E 81221-36  Fabric F 81230-34  Fabric G 81000-442 	1/8 yd each	From each of Fabric E, F & G, Cut 1 – 3” x WOF strip ➤ Sub-cut 8 – 3” squares
Fabric H 81300-33  Fabric J 81221-68  Fabric K 81221-58 	1/8 yd each	From each of Fabric H, J & K, Cut 1 – 2 ½” x WOF strip ➤ Sub-cut 8 – 2 ½” squares
Fabric L 81300-21  Fabric M 81000-443  Fabric N 81230-91 	¼ yd each	From each of Fabric L, M & N, Cut 1 – 5 ¾” x WOF strip ➤ Sub-cut 2 – 5 ¾” squares
Fabric P 81221-36 	½ yd	Cut 7 – 2 ¼” x WOF strips; Set aside for binding
Backing (Crosswise) 80759-21 	4 yds	Cut in half along the length to get 2 – 2 yd pieces; sew pieces together along the selvage edges.

Requirements: (Color Option 2)

Fabric	Yardage	Cutting Instructions
Fabric A 80759-28  Fabric B 80759-59 	7/8 yd each	From each of Fabric A & B, Cut 1 – 5 ½” x WOF strip ➤ Sub-cut 2 – 5 ½” squares, 2 – 4 ½” squares and 8 – 3” squares Cut 3 – 6 ½” x WOF strips ➤ Sub-cut 1 – 38 ½” strip, 1 – 31 ½” strip, 1 – 13 ½” strip & 1 – 6 ½” square
Fabric C 80759-26 	7/8 yd	Cut 1 – 5 ½” x WOF strip ➤ Sub-cut 2 – 5 ½” squares, 2 – 4 ½” squares and 8 – 3” squares Cut 3 – 6 ½” x WOF strips ➤ Sub-cut 2 – 38 ½” strips and 2 – 6 ½” squares
Fabric D 81600-21 	2 ¼ yds	Cut 3 – 2 ½” x WOF strips; Sub-cut 48 – 2 ½” squares Cut 1 – 5 ¾” x WOF strip; Sub-cut 6 – 5 ¾” squares Cut 1 – 5 ½” x WOF strip; Sub-cut 6 – 5 ½” squares Cut 16 – 3 ½” x WOF strips ➤ Sub-cut 8 – 38 ½” strips, 4 – 31 ½” strips, 4 – 13 ½” strips, 8 – 6 ½” strips and 24 – 3 ½” squares
Fabric E 81000-443  Fabric F 81300-79  Fabric G 81300-28 	1/8 yd each	From each of Fabric E, F & G, Cut 1 – 3” x WOF strip ➤ Sub-cut 8 – 3” squares
Fabric H 81300-83  Fabric J 81300-27  Fabric K 81600-30 	1/8 yd each	From each of Fabric H, J & K, Cut 1 – 2 ½” x WOF strip ➤ Sub-cut 8 – 2 ½” squares
Fabric L 81300-20  Fabric M 81000-467  Fabric N 81300-57 	¼ yd each	From each of Fabric L, M & N, Cut 1 – 5 ¾” x WOF strip ➤ Sub-cut 2 – 5 ¾” squares
Fabric P 80759-59 	½ yd	Cut 7 – 2 ¼” x WOF strips; Set aside for binding
Backing (Crosswise) 80759-59 	4 yds	Cut in half along the length to get 2 – 2 yd pieces; sew pieces together along the selvage edges.