

FRONT PORCH

Fabric and "Fall Evenings" Quilt by Dolores Smith



82" x 82"





Fall Evenings

Finished Quilt Size: 94" x 94" Finished Block Size: 12½" x 12½"

Materials

2¾ yards of R540596-Cream

1/2 yard of R540597-Cream

1/2 yard of R540597-Green

% yard of R540597-Rust

1/4 yard of R540598-Orange

1/4 yard of R540598-Taupe

1/4 yard of R540599-Gold

1/4 yard of R540599-Rust

3/2 yard of R540599-Sage

1/2 yard of R540600-Gold

½ yard of R540600-Taupe (cornerstones)

¾ yard of R540601-Gold

1% yard of R540601-Rust (sashing)

% yard of R540601-Sage

1/2 yard of R540601-Taupe

5 yard of R540602-Gold 5 √2 yard of R540602-Gold

% yard of R540602-Rust

% yard of R540602-Sage

3/8 yard of R540603-Gold

1¼ yards of R540603-Taupe (setting/corner triangles)

Cutting:

WOF = width of fabric (selvage to selvage) LOF = length of fabric

From Fabric 1 (R540596-Cream), cut:

- (4) 6½" x LOF strips (unpieced border)
- (4) 2½" x LOF strips for binding

From Fabric 2 (R540597-Cream), cut:

- (2) 7½" squares, cut diagonally twice
- (6) 4%" squares
- (4) 4" squares, cut diagonally once

From Fabric 3 (R540597-Green), cut:

- (1) 7½" square, cut diagonally twice
- (9) 4%" squares
- (2) 4" squares, cut diagonally once

From Fabric 4 (R540597-Rust), cut:

- (2) 7½" squares, cut diagonally twice
- (10) 4%" squares
- (4) 4" squares, cut diagonally once

From Fabric 5 (R540598-Orange), cut:

(5) 4%" squares

From Fabric 6 (R540598-Taupe), cut:

(8) 4%" squares

From Fabric 7 (*R540599-Gold*), cut:

(4) 4%" squares

From Fabric 8 (R540599-Rust), cut:

(5) 4%" squares

From Fabric 9 (R540599-Sage), cut:

- (1) 7½" square, cut diagonally twice
- (1) 4%" square
- (2) 4" squares, cut diagonally once

From Fabric 10 (R540600-Gold), cut:

- (2) 7½" squares, cut diagonally twice
- (2) 4%" squares
- (4) 4" squares, cut diagonally once

From Fabric 11 (R540600-Taupe), cut:

- (4) 4%" squares
- (40) 2½" squares

From Fabric 12 (*R540601-Gold*), cut:

(12) 4%" squares

From Fabric 13 (*R540601-Rust*), cut:

(64) 2½" x 13" strips

From Fabric 14 (*R540601-Sage*), **cut**:

- (1) 7½" square, cut diagonally twice
- (5) 4%" squares
- (2) 4" squares, cut diagonally once

From Fabric 15 (R540601-Taupe), cut:

- (1) 7½" square, cut diagonally twice
- (10) 4%" squares
- (2) 4" squares, cut diagonally once

Fall Evenings

From Fabric 16 (*R540602-Gold*), cut:

- (5) 7½" squares, cut diagonally twice
- (8) 4%" squares
- (10) 4" squares, cut diagonally once

From Fabric 17 (*R540602-Rust*), **cut**:

- (6) 7½" squares, cut diagonally twice
- (14) 4%" squares
- (12) 4" squares, cut diagonally once

From Fabric 18 (*R540602-Sage*), cut:

- (3) 7½" squares, cut diagonally twice
- (12) 4%" squares
- (6) 4" squares, cut diagonally once

From Fabric 19 (*R540603-Gold*), cut:

- (1) 7½" square, cut diagonally twice
- (9) 4%" squares
- (2) 4" squares, cut diagonally once

From Fabric 20 (R540603-Taupe), cut:

- (3) 19" squares, cut diagonally twice (setting triangles)
- (2) 9¾"squares, cut diagonally once (corner triangles)

Making the Blocks:

1. Organize all of the cut block pieces into (25) block piles. Each block pile will include:

Background Print- (1) $7\frac{1}{2}$ " square, cut diagonally twice (A), (2) 4" squares, cut diagonally once (B) and (1) $4\frac{1}{2}$ " center square (C).


Cross Print- (4) 4%" squares (D).




Alternate blocks: (4) of the blocks use a different print for the center background square. (C)




- 2. For each block pile, lay out the 4%" squares and 7½" setting triangles in (3) rows of (3) units each as shown.
- 3. Sew the units together in each row. Press the seams toward the center square in the top and bottom rows. Press the seams toward the outer square in the middle row as shown by the arrows.
- 4. Sew a 4" corner triangle to each of the corners of the unit to make a 13" x 13" quilt block. Make a total of (21) quilt blocks and (4) alternate blocks.









Make 21 blocks

Make 4 alternate blocks

Assembling the Quilt Top:

(Refer to the Quilt Assembly diagram on page 3)

- 1. Randomly lay out the (25) blocks, (64) 2½" x 13" Fabric 13 sashing trips, (40) 2½" Fabric 11 cornerstones and (12) Fabric 20 setting triangles in (7) block rows and (8) sashing rows as shown.
- 2. Sew the blocks, sashing strips and setting triangles together in each block row. Press the seams toward the sashing strips.
- 3. Sew the sashing strips and cornerstones together in each sashing row. Press the seams toward the sashing strips.
- 4. Sew the (8) sashing rows, alternating with the (7) block rows. Press the seams toward the the sashing rows.
- 5. Sew a Fabric 20 corner triangle to each of the four corners. Press the seams toward the corner triangles.
- 6. Trim each side of the quilt top $\frac{1}{4}$ " outside of the center diagonal of the cornerstones to make a quilt top measuring approximately 82" x 82".

Fall Evenings

Adding the Border:

- 1. Measure long sides of the quilt top on each side and average the measurements. Cut (2) of the 6½" x LOF Fabric 1 strips to that measurement. Sew to the long sides of the quilt top. Press the seams toward the border strips.
- 2. Measure the top and bottom sides of the quilt top including the added side borders and average the measurements. Cut the (2) remaining 6½" x LOF Fabric 1 strips to that measurement. Sew to the top and bottom of the quilt top. Press the seams toward the border strips to make a quilt measuring approximately 94½" x 94½".

Finishing:

- 1. Layer the quilt, batting and backing. Quilt as desired.
- 2. Bind the quilt with double-fold binding made with the (5) 2½" x LOF Fabric 1 binding strips.

