AUTUMN FALLS RUNNER



Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ETJ-9864-15 IVORY	1-1/4 yards		E	SRKD-21164-222 REDWOOD	1/4 yard
	В	SRKD-21163-324 SUNDANCE	1/4 yard		F	SRKD-21163-191 AUTUMN	1/4 yard
	С	SRKD-21168-49 OLIVE	1/4 yard		G	SRKD-21167-405 WATERFALL	1/4 yard
	D	SRKD-21168-144 PEACH	1/4 yard		Binding*	SRKD-21164-222 REDWOOD *Also used for Fabric E	1/2 yard
Copyright 2022, Robert Kaufman For individual use only - Not for resale				You will also need: 1-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

three 4" x WOF strips. Subcut:

twenty-four 4" squares for the HSTs

one 3-1/2" x WOF strip. Subcut:

twelve 3-1/2" squares

two 3" x WOF strips. Subcut:

twenty-four 3" squares for the stem units. Mark a diagonal line on the back of each square.

ten 2" x WOF strips. Subcut:

six 2" x 9-1/2" block sashing strips

five 2" x 20" row sashing strips

two 2" x 23" top/bottom outer borders

Sew the remaining four strips together, end-to-end, then cut:

two 2" x 62" side outer borders

From each of Fabrics B-G, cut:

one 4" x WOF strip. Subcut:

four 4" squares for the HSTs

one 3-1/2" x WOF strip. Subcut:

eight 3-1/2" squares

From the Binding, cut:

five 2-1/2" x WOF strips.

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric A square with a 4" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make eight A/B HSTs.



Step 2: Repeat Step 1 to make:











eight A/C HSTs

eight A/D HSTs

eight A/E HSTs

eight A/F HSTs


eight A/G HSTs

Assemble the Blocks

Step 3: Place a 3" Fabric A square in the upper right corner of a 3-1/2" Fabric B square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat on the lower left corner with another 3" Fabric A square. Make two Fabric B stem units like this.



Step 4: Repeat Step 3 to make:





Step 5: Gather: four A/B HSTs three Fabric B squares one Fabric A square one Fabric B Stem

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 6: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 7: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The Block should measure 9-1/2" square. Make two blocks from each of Fabrics B-G.


Assemble the Runner

Step 8: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between the block. Press seams toward the sashing. Repeat to make six block rows.

Step 9: Sew the rows together, sewing a row sashing strip between each row. Press seams open or to the sashing.

Step 10: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.