


Cozy Up

NORTHCOTT
Premium
Flannel



COZY UP RAG QUILT

FREE PATTERN • 60" x 84" • By Northcott Studio

Northcott Canada
101 Courtland Avenue
Vaughan, Ontario L4K 3T5

Northcott USA
1050 Valley Brook Avenue
Lyndhurst, NJ 07071



NORTHCOTT
Cottons that feel like silk
WWW.NORTHCOTT.COM








Cozy Up Rag Quilt

By Northcott Studio

Finished Size 60" x 84"

Featuring Northcott's *Cozy Up* Collection

REQUIREMENTS & CUTTING INSTRUCTIONS:

| Fabric Requirements | Yards | Cutting Instructions (WOF = width of fabric) |
|---|-----------|--|
| Fabric A – F25515-99 Block 1  | 1 5/8 yds | <ul style="list-style-type: none"> • Cut 4 – 13" x WOF strips • Sub-cut into 12 – 13" x 13" squares |
| Fabric B – F25516-96 Block 2  | 7/8 yd | <ul style="list-style-type: none"> • Cut 2 – 13" x WOF strips • Sub-cut into 6 – 13" x 13" squares |
| Fabric C – F25517-91 Block 3  | 1 1/4 yds | <ul style="list-style-type: none"> • Cut 3 – 13" x WOF strips • Sub-cut into 17 – 7" x 13" center rectangles |
| Fabric D – F25279-24 Block 3  | 7/8 yd | <ul style="list-style-type: none"> • Cut 2 – 13" x WOF strips • Sub-cut into 17 – 4" x 13" outer rectangles |
| Fabric E – F25278-24 Block 3  | 7/8 yd | <ul style="list-style-type: none"> • Cut 2 – 13" x WOF strips • Sub-cut into 17 – 4" x 13" outer rectangles |
| Fabric F – F25281-93 Flannel Batting  | 4 7/8 yds | <ul style="list-style-type: none"> • Repeat cutting instructions for Fabric A – E above, cutting the same number and size of each piece. Arrange in piles next to its matching size for each block piece. |
| Fabric G – F25277-96 Backing  | 4 7/8 yds | <ul style="list-style-type: none"> • Repeat cutting instructions for Fabric A – E above, cutting the same number and size of each piece. Arrange in piles next to its matching size for each block piece. |

BLOCK 1 & 2 ASSEMBLY:

From your pile of 13" squares, sandwich the three layers by placing a backing piece right side down on your worktable. Center a batting piece on top of it, and then place a quilt top piece right side up. Pin in place. Repeat for all 13" squares. Quilt each block as desired, leaving 1/2" around all edges unquilted. A simple 'X' works well.

BLOCK 3 ASSEMBLY:

From your pile of 7" x 13" rectangles, sandwich the three layers, as above. Repeat for all 7 x 13" rectangles. Quilting of these blocks is optional. If quilting is done, leave 1/2" around all edges unquilted.

From your pile of 4" x 13" rectangles, sandwich the three layers, as above. Repeat for all 4" x 13" rectangles. Quilting of these blocks is optional. If quilting is done, leave 1/2" around all edges unquilted.

Starting and stopping 1/2" from each edge and using a 1/2" seam allowance, sew the long edge of a Fabric D outer rectangle 'sandwich' to the long edge of a Fabric C center rectangle 'sandwich', placing wrong (backing) sides together. Sew the long edge of a Fabric E outer rectangle 'sandwich' to the other long edge of the Fabric C center rectangle 'sandwich' in the same manner to complete one Block 2. Repeat with all remaining rectangles to make a total of 18 Block 3's.

COMPLETING THE QUILT:

Arrange your blocks into seven rows, each row with five blocks, alternating Block 1 & 3 and Block 2 & 3 on every other row. If using a directional print in Block 1 or Block 2, be sure to place them correctly. Turn Block 3 in alternating rows so they run vertically on rows 1, 3, 5 & 7 and horizontally on rows 2, 4 & 6. Refer to the quilt image for placement.

Sew the blocks in each row together, placing wrong (backing) sides together, starting and stopping 1/2" from each edge, and using a 1/2" seam allowance. Then sew rows together in the same manner. Use pins to keep fabrics from shifting.

Sew 1/2" seam around the entire perimeter of the quilt, turning at the corners 1/2" from each edge.

Clip all seam allowances by making perpendicular cuts about 1/4 - 3/8" apart along all exposed seam allowances and around the perimeter of the quilt. Do not cut too close to the seam lines and be careful at the corners and intersections not to cut away a chunk of fabric when making perpendicular cuts. Any sharp scissors will work, but spring-loaded scissors that open automatically after each cut will be less tiring.

Wash your quilt using soap and fabric softener to help fray the edges.