

MAYWOOD  STUDIO

# Windflower Quilt



## Windflower Stripe Quilt


Featuring the Windflower collection from Maywood Studio

50" x 60"


[maywoodstudio.com](http://maywoodstudio.com)



# Windflower



Fabric 1 - Binding  
10646-B




Fabric 2  
10645-B



Fabric 3  
10643-P




Fabric 4  
10640-P



Fabric 5  
10644-G




Fabric 6  
10642-G



Fabric 7  
10644-B



Fabric 8  
10641-B



Fabric 9  
10644-P



Fabric 10  
10641-P

## Fabric Requirements

Fabric 1	10646-B	1/2 yard
Fabric 2	10645-B	2-1/2 yard
Fabric 3	10643-P	3/8 yard
Fabric 4	10640-P	5/8 yard
Fabric 5	10644-G	3/8 yard
Fabric 6	10642-G	5/8 yard
Fabric 7	10644-B	3/8 yard
Fabric 8	10641-B	5/8 yard
Fabric 9	10644-P	1/4 yard
Fabric 10	10641-P	3/8 yard
Backing	3 yards	

## Cutting

50" x 60"

### Fabric 1 Binding

Cut (6) 2-1/4" x WOF strips. Sew together, end to end.

### Fabric 2

Cut (10) 5-1/2" x WOF strips into (60) 5-1/2" x 5-1/2" A squares  
Cut (5) 6" x WOF strips into (30) 6" x 6" squares

### Fabric 4

Cut (3) 6" x WOF strips into (15) 6" B squares

### Fabrics 6 and 8

Cut (3) 6" x WOF strips into (16) 6" B squares

### Fabrics 3, 5, and 7

Cut (2) 6" x WOF strips into (8) 6" x 6" squares

### Fabric 9

Cut (1) 6" x WOF strips into (7) 6" B squares

### Fabric 10

Cut (2) 6" x WOF strips into (14) 6" B squares


WOF - Width of Fabric  
LOF - Length of Fabric  
RST - Right Sides Together  
HST - Half Square Triangle

## Windflower Quilt Instructions

Please read all instructions before you begin. Seam allowance is 1/4. Fabric is abbreviated as by number. For example, Fabric 1 is '1'.

### Make 2-at-a-time HSTs (Half Square Triangles)

1. Mark a diagonal line from corner to corner on the wrong side of (8) 6" F4 squares.
2. Place an F4 square, RST over a F3 square. Sew 1/4" away from either side of the marked line. Cut on the marked line between the stitching. Press. Make 8 pair for 15 total HSTs (you will have one extra). Trim to 5-1/2".
3. Repeat steps 1-2 to make the following HST units illustrated to the right: C-F3/F4, D-F5/F6, E-F7/F8, F-F9-F10.



Make the following:



C: F3/F4  
8 pair  
(15 HSTs)



D: F5/F6  
8 pair  
(16 HSTs)




E: F7/F8  
8 pair  
(15 HSTs)



F: F9/F10  
7 pair  
(14 HSTs)

### Make Partial Hour-Glass Units

1. Mark a diagonal line from corner to corner on the F2A squares. Cut off the corners 1/4" away from the marked line. Cut 60. You will use the larger triangle in the next step.
2. Place an F2A square, RST, over a C-HST unit as illustrated to the right. Sew on the diagonal line. Trim the excess corner. Press.
3. Repeat to make the following units illustrated to the right.: C-F2A, D-F2A, E-F2A, F-F2A.



C - F2A  
make 15



D - F2A  
make 16



E - F2A  
make 15



F - F2A  
make 14

Note: You will not use the smaller corner triangles you cut off for any of the blocks in this project. Save those to make something fun for the back of the quilt or for another project.

## Make the remaining 2-at-a-time HSTs

Follow the instructions on P4 to make the following HST units as illustrated to the right:

G: F2B/F6 - make 8 pair  
 H: F2B/F10 - make 7 pair  
 I: F2B/F4 - make 7 pair  
 J: F2B/F4 - make 8 pair



G: F2B/F6  
 8 pair  
 (16 HST)



H: F2B/F10  
 7 pair  
 (14 HST)







I: F2B/F4  
 7 pair  
 (14 HST)



J: F2B/F4  
 8 pair  
 (16 HST)

## Sew the Blocks

1. Sew the HSTs and Partial Hour Glass units into pairs and then sew the rows into blocks as illustrated below for Blocks 1, 2, 3, and 4. Make sure to orient the units as illustrated.




## Row Assembly

1. Lay out the quilt blocks as shown below.

2. Sew blocks into rows. Press to nest.

Note: Follow the number of rows indicated for each row below.


Row 1: Make 2 →



Block 1




Block 2



Block 3




Block 4



Block 1


Row 2: Make 2 ←




Block 2



Block 3



Block 4




Block 1




Block 2


Row 3: Make 1 →




Block 3




Block 4



Block 1




Block 2




Block 3


Row 4: Make 1 ←




Block 4




Block 1



Block 2




Block 3



Block 4

## Top Assembly

1. Lay out the rows as shown below.
2. Sew rows together. Press in one direction.



## Finishing

1. Layer the backing (wrong side up), batting and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
2. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.

## Quilt Planning Diagram

Use this diagram to plan your quilt top.

