

3070

Timberland Trails

By Fluidity



Throw Quilt 55-1/2" x 74-1/2"



www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities

Timberland Trails

Please read all instructions carefully AND identify all fabrics before beginning.

All instructions include a 1/4" seam allowance and strips are cut selvage to selvage, unless stated otherwise.

1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, panels have a coping border added then trimmed so they will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of 2 panels to approximately 9" x 23-1/2" and 4 panels to approximately 11-1/2" square

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvage: (2) 8-3/4" x 46" multi-stripe borders, 1 with animal stripe on top, 1 with animal stripe on bottom

Fabric C - Cut (1) 6-1/2" strip, subcut (4) 6-1/2" squares

Fabric D - Cut (6) 5-1/2" strips, sewn together end to end and cut into (2) 5-1/2" x 65" and (2) 5-1/2" x 56" borders

Cut (1) 3-1/2" strip, subcut (4) 3-1/2" squares

Fabric E - Cut (2) 3-1/2" strips, subcut (4) 3-1/2" x 9-1/2" and (4) 3-1/2" x 6-1/2" strips

Fabric F - Cut (2) 3-1/2" strips, subcut (8) 3-1/2" x 9-1/2" strips

Fabric G - Cut (4) 3-1/2" strips, subcut (24) 3-1/2" x 6-1/2" strips

Fabric H - Cut (7) 2-1/2" strips (binding)

Fabric I - Cut (5) 3-1/2" strips, subcut (48) 3-1/2" squares and (8) 2-1/2" x 3-1/2" pieces

Fabric J - Cut (6) 1-1/4" strips, subcut (8) 1-1/4" x 13" and (8) 1-1/4" x 12" strips


Fabric K - Cut (4) 1-1/2" strips, subcut (4) 1-1/2" x 24" and (4) 1-1/2" x 11" strips

Fabric L - Cut (1) 3-1/2" strip, subcut (16) 2-1/2" x 3-1/2" pieces

2. Piecing Order:


1. Stitch **Fabric K** 1-1/2" x 24" strips to sides of a 9" x 23-1/2" **Fabric A** panel. Trim strip ends even. Add 1-1/2" x 11" **Fabric K** strips to top and bottom of panel. **Trim bordered panel to 10" x 24-1/2" (unfinished).** Make a total of 2 **Block 1**.

Arrows and stripes indicate orientation of directional prints.



Block 1 - Make 2

2. Stitch **Fabric J** 1-1/4" x 12" strips to sides of an 11-1/2" square **Fabric A** panel. Trim strip ends even. Add 1-1/4" x 13" **Fabric J** strips to top and bottom of panel. **Trim bordered panel to 12-1/2" square (unfinished).** Make a total of 4 **Block 2**.




Block 2 - Make 4

3. Stitch a **Fabric D** 3-1/2" square to end of a **Fabric E** 3-1/2" x 9-1/2" strip. Make a total of 4 Unit 1 (3-1/2" x 12-1/2" unfinished).




Unit 1 - Make 4

4. Stitch a **Fabric E** 3-1/2" x 6-1/2" strip to the left of a **Fabric C** 6-1/2" square. Add a **Fabric F** 3-1/2" x 9-1/2" strip to the top and then a **Fabric F** 3-1/2" x 9-1/2" strip to the right side of the unit. Make a total of 2 Unit 2a (9-1/2" x 12-1/2" unfinished). In a similar manner, make 2 Unit 2b noting orientation and placement of strips.




Unit 2a - Make 2




Unit 2b - Make 2

Timberland Trails

4. Stitch a **Fabric E** 3-1/2" x 6-1/2" strip to the left of a **Fabric C** 6-1/2" square. Add a **Fabric F** 3-1/2" x 9-1/2" strip to the top and the a **Fabric F** 3-1/2" x 9-1/2" strip to the right side of the unit. Make a total of 2 Unit 2a (9-1/2" x 12-1/2" unfinished). In a similar manner, make 2 Unit 2b noting orientation and placement of strips.



5. Stitch a Unit 1 to each Unit 2a and 2b as shown. Make a total of 2 each **Blocks 3** and **4** (12-1/2" square unfinished).



6. Sew a **Fabric I** 2-1/2" x 3-1/2" piece between 2 **Fabric L** 2-1/2" x 3-1/2" pieces as shown. Make a total of 8 Unit 3 (3-1/2" x 6-1/2" unfinished).




7. Draw a diagonal line across the wrong side of all the **Fabric I** 3-1/2" squares *only as shown*.




Letters in italics indicate wrong side of fabric.

8. Arrange a marked **Fabric I** 3-1/2" square on 1 end of a **Fabric G** 3-1/2" x 6-1/2" piece as shown. Stitch along the marked line. Trim




seam allowance to 1/4". Press triangle out. Repeat on opposite end of the **Fabric G** piece. Make a total of 24 Unit 4 (3-1/2" x 6-1/2" unfinished).

9. Arrange 3 Unit 4 and 1 Unit 3 in a vertical row. Stitch units together. Make a total of 8 **Block 5** (6-1/2" x 12-1/2" unfinished).



10. Referring to Quilt Center Layout arrange **Blocks 2-5** in 4 rows. Stitch blocks into rows. Sew the top 2 rows together and add a **Block 1** to the left side. Stitch bottom 2 rows together and sew the remaining **Block 1** to the right. Sew top and bottom halves of the quilt center together (46" x 48-1/2" unfinished)



11. Refer to Quilt Layout (Page 4 for arrangement and placement of quilt center and borders.

12. Sew **Fabric B** 8-3/4" x 46" borders to top and bottom of quilt center.


Arrows and stripes indicate orientation of directional prints.

Timberland Trails

QUILT LAYOUT

Border measurements are the cut size.

Arrows and stripes indicate orientation of directional prints.




3070

Timberland Trails

By Fluidity



Fabric A
3070-45601-427
2/3 yard (1 panel)



Fabric B
3070-45602-497
1-1/2 yards



Fabric C
3070-45603-929
1/3 yard (or Fat Quarter)



Fabric D
3070-45604-972
1-1/4 yards



Fabric E
3070-45604-942
1/3 yard (or Fat Quarter)



Fabric F
3070-45609-494
1/3 yard (or Fat Quarter)



Fabric G
3070-45606-777
1/2 yard



Fabric H
3070-45607-444
5/8 yard (Binding only)



Fabric I
3070-45608-909
5/8 yard



Fabric J
3070-45608-999
1/3 yard



Fabric K
3070-45609-292
1/4 yard



Fabric L
3070-45606-999
1/8 yard (or Fat Eighth)

Quilter's Choice

Fabric M
44/45" - 3-2/3 yards
(Backing Only)



www.wilmingtonprints.com



Wilmington Prints: A World of Possibilities