MAYWOOD ₩ STUDIO

goth moths runner



Goth Moths Runner

Featuring the Goth Gardens fabric collection from Maywood Studio $16\frac{1}{2}$ " x $49\frac{1}{2}$ "





Backing 10851-J



Learn more about Gentle Fuse Paper-Backed Fusible Web.



MAYWOOD STUDIO

Fabric Requirements 10854-W Fabric 1 Fat Quarter Fabric 2 10852-J Fat Quarter 10855-J Fabric 3 Fat Quarter Fabric 4 10854-O Fat Quarter Fabric 5 10853-K Fat Quarter Fabric 6 10854-K Fat Quarter Fabric 7 10853-O Fat Quarter Fabric 8 10855-K Fat Quarter 10856-J Fabric 9 1/2 yard *Includes binding Fabric 10 10856-O2 Fat Quarter Fabric 11 10856-O Fat Quarter 10856-W Fabric 12 1/8 yard 3/4 yard* *Backing 10851-J Gentle Paper-backed 1/3 yard fusible web Fuse

*Backing: Cut the backing in half along the length of the fabric and sew the short ends together. Trim to measure approximately 21" x 54"



Cutting

Finished: 16-1/2" x 49-1/2"

Background: F1, F2, F3

From each fabric, cut:

A: (1) 9-1/2" square

B: (2) 3-1/2" x 6-1/2" rectangles

C: (1) 6-1/2" square

D: (4) 2" squares

Upper Wing: F3, F4, F5

From each fabric, cut:

E: (2) 5" x 8" rectangles

F: (2) 2" x 3-1/2" rectangles

Lower Wing: F6, F7, F8

From each fabric, cut:

G: (2) 2" x 6-1/2" rectangles

H: (2) 2" x 3-1/2" rectangles

I: (2) 2" squares

J: (2) 3-1/2" squares

Center: F12

Cut:

K: (3) 2" squares

Binding: F9

Cut (4) 2-1/4" x WOF strips

Bats: F9, F10, F11

From each fabric, cut:

L: (1) 4-1/2" x 10" rectangle

Gentle Fuse

Cut: (3) 4-1/2" x 10" rectangles

Gentle Fuse

Cut: (3) 4-1/2" x 10" rectangles

WOF - Width of Fabric LOF - Length of Fabric RST - Right Sides Together HST - Half Square Triangle




Goth Moths Table Runner Instructions

Please read all instructions before you begin. Seam allowance is 1/4". Press according to the arrows. Fabric is abbreviated as 'F' and by number. For example, Fabric 1 is 'F1'.

Sew the Blocks

Bottom Background Section

- 1. Sew (1) F7-G rectangle to (1) F12-K square. Press.
- 2. Sew (1) F2-C square to (1) F7-G rectangle. Press.
- 3. Sew step 1 and step 2 together as shown. Press.





Make 1 8" x 8"

Wing Sections: Left and Right Wings

Left Wing:

- 4. Sew (1) F2-D square to the left side of (1) F7-I square. Press.
- 5. Sew (1) F7-H rectangle to the bottom of step 4. Press.
- 6. Sew (1) F2-B rectangle to the top of the step 5 unit. Press.







Step 6 Unit: Make 1 3-1/2" x 9-1/2"

Left Wing Continued:


- 7. Draw a diagonal line on the wrong side of the F7-J square. Place this square, RST, on the bottom left corner of (1) F4-E rectangle. Sew on the diagonal line. Trim ¼" away from the stitched line, press.
- 8. Sew (1) F2-D square to the left side of (1) F4-F rectangle. Press.
- 9. Sew the step 8 unit to the top of the step 7 unit. Press.
- 10. Sew the step 6 unit to the left side of the step 9 unit. Press. The Left Wing unit should measure 8" W x $9-\frac{1}{2}"$ tall.






Right Wing:

11. Repeat Steps 4-10, switching the placement of the fabrics to create a mirror image of the Left Wing unit. The Right Wing unit should measure 8" W x 9-1/2" tall.




Make 1 Right Wing 8" x 9-1/2"




Assemble the Goth Moth Block

- 14. Lay out the Bottom background section, Left Wing section, Right Wing section (rotated 90 degrees), and the Top background appliqué section.
- 15. Sew the Left Wing section to the Bottom background section. Press.
- 16. Sew the Top background appliqué section to the Right Wing section. Press
- 17. Sew step 15 to step 16. Press. The Orange Goth Moth Block should measure 17" square.
- 18. Repeat Steps 1-17 to make 2 more Goth Moth blocks.

White Moth uses: F1, F3, F6, F9, and F12 Black Moth uses: F3, F5, F8, F11, and F12






Make 1 17" x 17"

Assemble the Goth Moths Runner

- 19. Lay out the Goth Moth blocks as shown. Sew them together. Press in one direction. The runner should measure $17" \times 50"$.
- 20. Layer the backing (wrong side up), batting and tablerunner top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
- 21. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the front of the runner with a $\frac{1}{4}$ " seam allowance. Turn the binding to the back side of the runner and stitch down by hand with matching thread.



Runner Planning DiagramUse this template to plan your project

