

1665

Sunkissed

by Nancy Mink



Throw Quilt: 53" x 71"



www.wilmingtonprints.com

Wilmington Prints: A World of Possibilities

Sunkissed

Please read all instructions carefully AND identify all fabrics before beginning. WOF = width of fabric.
All instructions include a 1/4" seam allowance and strips are cut selvege to selvege, unless stated otherwise.

1. Cut the following:

If using FAT CUTS, you may need to cut additional width-of-fabric strips.

Fabric A - PLEASE NOTE: Panels do not always print the size intended. For this pattern, the panel has a coping border added then trimmed so the panel will fit the quilt correctly.

Fussy cut 1/4" beyond outside edges of panel to approximately 23-1/2" x 42"

Fabric B - Referring to the quilt image, fussy cut strips, the length of fabric parallel to selvege: (2) 5" x 75" and (2) 5" x 57" stripe borders

Fabric C - Cut (1) 6-1/2" strip, subcut (4) 6-1/2" squares

Fabric D - Cut (7) 2-1/2" strips (binding)
Cut (3) 3" strips, sewn together end to end and cut into (2) 3" x 45" borders and
(1) 2-1/4" x 30-1/2" border
Cut (1) 2-1/4" strip, subcut (1) 2-1/4" x 30-1/2" border

Fabric E - Cut (2) 4" strips, subcut (16) 4" squares and (2) 3-1/2" x 6-1/2" pieces

Fabric F - Cut (1) 4" strip, subcut (8) 4" squares
Cut (2) 3-1/2" strips, subcut (16) 3-1/2" squares and (2) 3-1/2" x 6-1/2" pieces

Fabric G - Cut (6) 1-1/2" strips, sewn together end to end and cut into (2) 1-1/2" x 60-1/2" and (2) 1-1/2" x 44-1/2" borders

Fabric H - Cut (2) 6-1/2" strips, subcut (8) 6-1/2" squares

Fabric I - Cut (2) 2-1/2" strips, subcut
(2) 2-1/2" x 29" borders
Cut (2) 2" strips

Fabric J - Cut (2) 3-1/2" strips, subcut (20) 3-1/2" squares

Fabric K - Cut (1) 4" strip, subcut (8) 4" squares

2. Piecing Order:

1. Draw a diagonal line across the wrong side of:
all **Fabric J** 3-1/2" squares



Letters in italics indicate wrong side of fabric.

2. Draw a diagonal line across the wrong side then draw 2 lines 1/4" on each side of first line on the following squares:
all **Fabric E** 4" squares




3. Arrange 1 marked **Fabric J** 3-1/2" square right sides together on corner of a **Fabric F** 3-1/2" x 6-1/2" piece. Stitch along the marked line. Cut seam allowance to 1/4". Press the triangle open. Repeat on remaining corner. Make a total of 2 Unit 1 (3-1/2" x 6-1/2" unfinished).




Unit 1 - Make 2

4. Sew a **Fabric E** 3-1/2" x 6-1/2" piece to bottom of each Unit 1. Make 2 **Block 1** (6-1/2" square unfinished).



Block 1 - Make 2

5. Arrange a marked **Fabric E** 4" square right sides together with a **Fabric F** 4" square aligning all edges. Stitch along the 2 outside lines. Cut along the center line. Press the 2 triangle sets open. Centering seam, trim each to 3-1/2" square. Make a total of 16 Unit 2. In the same manner, make 16 Unit 3 with fabrics indicated.



Repeat 8 times for 16 units.




Unit 2
Make 16



Unit 3
Make 16

Sunkissed

6. Arrange 1 each Unit 2, Unit 3, **Fabric F** 3-1/2" square, and **Fabric J** 3-1/2" square in 2 rows as shown. Stitch into rows. Sew rows together. Make a total of 8 **Block 2** (6-1/2" square unfinished). In the same manner, make 8 **Block 3** noting placement of the units and squares.



7. Refer to Quilt Layout (Page 3) for arrangement and placement of panel, strips, squares, blocks and borders.

8. Stitch **Fabric I** 2" x width of fabric strips to sides of the **Fabric A** panel. Trim strip ends even. Add 2-1/2" x 29" **Fabric I** strips to top and bottom of panel. **Trim bordered panel to 25-1/2" x 45" (unfinished).**


9. Sew **Fabric D** 3" x 45" borders to right and left sides of bordered panel. Add **Fabric D** 2-1/4" x 30-1/2" borders to top and bottom of bordered panel.

10. Arrange 2 **Fabric H** 6-1/2" squares, 3 **Block 2**, and 3 **Block 3** in vertical rows on right and left side of bordered panel. Sew into side borders (6-1/2" x 48-1/2" unfinished). Stitch to sides of quilt.

11. Arrange 2 each **Fabrics C** and **H** 6-1/2" squares and 1 each **Blocks 1-3** in rows above and below bordered panel. Sew into top/bottom borders (6-1/2" x 42-1/2" unfinished). Stitch to top and bottom of quilt.


12. Sew **Fabric G** 1-1/2" x 60-1/2" borders to right and left sides of bordered panel. Add **Fabric G** 1-1/2" x 44-1/2" borders to top and bottom of bordered panel.

13. Center **Fabric B** 5" x 75" borders on right and left sides of quilt center and **Fabric B** 5" x 57" borders on top and bottom of quilt center, referring to quilt image for positioning of stripe. Stitch borders to sides starting and stopping 1/4" from corners of quilt center. Do not trim. Press borders out.



*Letters in italics indicate wrong side of fabric.
Arrows indicate orientation of directional prints.*

14. Working with 1 corner at a time, fold the quilt right sides together so the outside edges of the borders line up. Using a 45-degree ruler, mark from the end of border seams to outer edges of borders. Stitch along marked line. Trim seam allowance to 1/4". Press corner seam open. Repeat on remaining corners.



15. The quilt measures approximately 53-1/2" x 71-1/2" (unfinished). Make backing (**Fabric L**) approximately 8" larger than the top.


16. Layer and baste top, batting, and backing together. Quilt as desired. Attach binding (**Fabric D**) and enjoy!!

Sunkissed

QUILT LAYOUT

Border measurements are the cut size.

Arrows indicate orientation of directional prints.



1665

Sunkissed

by Nancy Sink



Fabric A
1665-33914-452
2/3 yard (1 Panel)



Fabric B
1665-33915-547
2-1/3 yards



Fabric C
1665-33916-425
1/3 yard (or Fat Quarter)



Fabric D
1665-33918-459
1-1/8 yards (Incl. Binding)



Fabric E
1665-33918-559
1/3 yard (or Fat Quarter)



Fabric F
1665-33919-444
1/2 yard



Fabric G
1665-33919-555
3/8 yard



Fabric H
1665-33920-145
1/2 yard



Fabric I
1665-33920-175
3/8 yard



Fabric J
1665-33921-555
1/3 yard



Fabric K
1665-33921-777
1/4 yard (or Fat Quarter)



Fabric L
44/45" - 3-1/2 yards
108" - 1-7/8 yards
(Backing)

