


MAYWOOD  STUDIO

BOW PATCH



BOW PATCH QUILT

FEATURING FABRICS FROM THE VERNADA COLLECTION

58" x 76"

maywoodstudio.com

VERANDA



Fabric 1
MAS11056-P




Fabric 2
MAS11056-E




Fabric 3
MAS11051-E



Fabric 4
MAS11053-G




Fabric 5
MAS11055-P



Fabric 6
MAS11056-V



Fabric 7
MAS11052-V




Fabric 8
MAS11055-G

Fabric Requirements

Fabric 1	MAS11056-P	3-1/2 yards
Fabric 2	MAS11056-E	1/3 yard
Fabric 3	MAS11051-E	Fat Quarter
Fabric 4	MAS11053-G	Fat Quarter
Fabric 5	MAS11055-P	Fat Quarter
Fabric 6	MAS11056-V	Fat Quarter
Fabric 7	MAS11052-V	Fat Quarter
Fabric 8	MAS11055-G	Fat Quarter
Binding	We used fabric 5	1/2 yard
Backing		4 yards

Fat Quarter Cutting Guide



2-1/2" | 2-1/2" | 2-1/2"

From each Fat Quarter cut:
 (3) 2-1/2" x 22" strips into:
 (21) 2-1/2" x 2-1/2" squares
 (1) 9" x 9" square

Cutting

Finished size: 58" x 76"

Fabric 1 -Background

Cut (18) 2-1/2" x WOF strips into:
 A (96) 2-1/2" x 2-1/2" squares
 B (24) 2-1/2" x 4-1/2" rectangles
 C (12) 2-1/2" x 18-1/2" sashing rectangles
 D (12) 2-1/2" x 14-1/2" sashing rectangles

Cut (2) 4-1/2" x WOF strips into:
 E (6) 4-1/2" x 10-1/2" rectangles

Cut (5) 6-1/2" x WOF strips into:
 F (30) 6-1/2" x 6-1/2" squares

Cut (2) 9" x WOF strips into:
 G (6) 9" x 9" squares

Borders

Cut (7) 2-1/2" x WOF strips. Sew end to end. Cut into:
 (2) 2-1/2" x 72-1/2" side borders
 (2) 2-1/2" x 58-1/2" top and bottom borders

Fabric 2

Cut (4) 2-1/2" x WOF strips into:
 H (60) 2-1/2" x 2-1/2" squares

Fabrics 3, 4, 5, 6, 7, 8

From each Fat Quarter Cut:
 I (1) 9" x 9" square
 J (21) 2-1/2" x 2-1/2" squares

Binding

Cut (7) 2-1/4" x WOF strips

WOF - Width of Fabric
 LOF - Length of Fabric
 RST - Right Sides Together
 HST - Half Square Triangle

Maywood Studio makes every effort to make sure our patterns are accurate.
 Check for updates at maywoodstudio.com/projects


Bow Patch Quilt Instructions

Please read all instructions before you begin. Seam allowance is 1/4". Fabric is abbreviated as 'F' - for example, F1 refers to Fabric 1. Press in the direction of the arrows.

9-Patch Units

A Unit

1. Sew an F2-H square to either side of an F1-A square. Press. Make 24.



A Unit
Make 24

B Units

2. Sew an F1-A square to either side of an F2-H square. Press. Make 12.



B Unit
Make 12

C Units

3. Sew an F1-A square to either side of an F3-J square. Press. Make 2.



F1-A/F3-J/F1-A
C Unit
Make 2



F3-J/F1-A/F3-J
D Unit
Make 4

4. Lay the following units out:

A Unit

C Unit

A Unit

5. Sew the units together. Press. Make 2.



9-Patch A/F3



9-Patch B/F3

D Units

6. Sew an F3-J square to either side of an F1-A square. Press. Make 4.

7. Lay the following units out:

D Unit

B Unit

D Unit

8. Sew the units together. Press. Make 2.



9-Patch A/F3
Make 2



9-Patch B/F3
Make 2

C-F4 Make 2



C-F5 Make 2



C-F6 Make 2



C-F7 Make 2



C-F8 Make 2



D-F4 Make 4



D-F5 Make 4









D-F6 Make 4



D-F7 Make 4






D-F8 Make 4


9P-A/F4
Make 29P-A/F5
Make 29P-A/F6
Make 29P-A/F7
Make 29P-A/F8
Make 29P-B/F4
Make 29P-B/F5
Make 29P-B/F6
Make 29P-B/F7
Make 29P-B/F8
Make 2

Sashed 9-Patch Blocks


1. Sew an F1-F square to either side of a 9P-A/F3 unit. Press. Make 2.
2. Sew an F1-F square between two 9P-B/F3 units. Press. Make 1.
3. Sew the Rows together as illustrated below.
4. Sew an F1-C sashing rectangle to the top and bottom of the Step 3 section. Press. Make 1.
5. Repeat steps 1-4 to create the Sashed 9-Patch Blocks with fabrics 4-8, as illustrated on P.6.

Sashed 9-Patch F3 Block
Make 1


Sashed 9-Patch Blocks (Continued):




F4




F5



F6



F7




F8


18 at-a-time HST

(Half Square Triangles)

1. Mark a 3" grid on the wrong side of the F1-G 9" squares. Then mark a diagonal line in each square, from the top left corner to the bottom right corner.




Mark a 3" grid




Mark diagonal lines

2. Lay the marked F1-G square over an F3-I square, right sides facing. Secure with pins.

3. Sew a 1/4" seam on either side of the marked diagonal lines.




Sew F1 and F3 together on either side of the diagonal lines



Cut apart to make 18 HST units

5. Press. Trim to 2-1/2".

6. Repeat with fabrics 4, 5, 6, 7, and 8.



Remove extra stitches



Press and Trim

Bow Blocks

Note: you will be making mirror-image units.
Pay close attention to the illustration for layout.
Follow the pressing arrows for each step.

1. Bow Tops



Lay out the following units and sew into rows.
Then sew the rows together and press. Make
one left and one right Bow Top.

Left

Row 1: HST - F3-J square - HST
Row 2: F3-J square - F1-A square - HST
Row 3: HST - F3-J square - HST
Row 4: F1-B rectangle - HST
Row 5: HST - F3-J square - HST


Right:

Row 1: HST - F3-J square - HST
Row 2: HST - F1-A Square - F3-J square
Row 3: HST - F3-J square - HST
Row 4: HST - F1-B rectangle
Row 5: HST - F3-J square - HST



2. Bow Center

Sew an F1-B rectangle - F3-J square - F1-B
rectangle together. Make 1.



3. Bow Bottom


Left Side

Sew an F3-J square to an HST. Make 1.

Right Side

Sew an HST to an F3-J square. Make 1.


Sew the left and right sides to an F1-E
rectangle. Press. Make 1.




Bow Blocks (Continued)

4. Sew the Left and Right Bow Tops to the Center section. Press.

5. Sew the Step 4 Bow Top to the Bow Bottom. Press. Make 1.




6. Sew an F1-D sashing rectangle to each side of the Bow Block. Press. Make 1.




Sashed F3 Bow Block
Make 1

7. Sew the F3 Sashed Bow Block to the F3 Sashed 9-Patch block. Press.




F3 Blocks


8. Repeat with the remaining Bow and 9-Patch blocks, making sure to know which have the Bow Blocks on the top and which have them on the bottom.




F4 Blocks
Bow is on the top




F5 Blocks
Bow is on the top



F6 Blocks
Bow is on the bottom




F7 Blocks
Bow is on the top



F8 Blocks
Bow is on the top

Rows: Sew the blocks into columns as illustrated below. Press open. Sew column to column. Sew the side sashing to the quilt top. Press toward sashing. Then sew the top and bottom sashing to the quilt top. Press toward sashing.



Finishing

1. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste layers to secure. Quilt as desired. Trim the excess backing and batting.
2. Sew the binding strips together into one continuous strip. Press in half length-wise. Sew the binding to the quilt top with a 1/4" seam allowance. Turn the binding to the back side of the quilt and stitch down by hand with matching thread.