

Fabric Requirements

Background Border	¾ yard
Binding	¾ yard
Backing	4 ¾ yards
Batting	72'' x 84''


Cutting

Background Border	 (8) 2 ½" x WOF strips. Piece (2) strips for length using diagonal seams. Repeat (4) times to make (4) long strips. Trim the following: o (2) 2 ½" x 72 ½" for Side Borders. Set aside. o (2) 2 ½" x 64 ½" for Top/Bottom Borders. Set aside.
Binding	• (8) 2 1/4" x WOF strips for binding.

Assembly




- 1. Arrange blocks in a 5 x 6 grid and in numerical order. For example, the top row will feature Blocks 1–5 moving from left to right. The bottom row will feature Blocks 25–30 moving from left to right.
- 2. Sew blocks together in (6) horizontal rows. Either alternate the direction in which you press the seams in each row, or press open to reduce bulk. (It is recommended to backstitch at the beginning and end of the seam if rows are pressed open.)
- 3. Sew the horizontal rows together to complete the quilt top center. The quilt top center should measure $60 \frac{1}{2}$ " x 72 $\frac{1}{2}$ " unfinished.



- 4. Attach 2 ½" x 72 ½" Side Borders onto the quilt top center. Press outward.
- 5. Attach 2 $\frac{1}{2}$ " x 64 $\frac{1}{2}$ " Top/Bottom Borders onto the quilt top center. Press outward to complete the quilt. The quilt should measure 64 $\frac{1}{2}$ " x 76 $\frac{1}{2}$ " unfinished.





6. Sew the prepared 2 ¼" x WOF strips together for binding. Layer, quilt, bind. Enjoy!

Be sure to share your block and progress online! #ModaStitchPink







